L Number	Hits	Search Text	DB	Time stamp
1	4428	707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.	USPAT; US-PGPUB	2004/06/17 18:31
2	208	(707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search$3 with rules!)	USPAT; US-PGPUB	2004/06/17 18:32
3	38	((707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search$3 with rules!)) and counts!	USPAT; US-PGPUB	2004/06/17 18:32
4	1	(((707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search$3 with rules!)) and counts!) and (previous$2 with retrieved)	USPAT; US-PGPUB	2004/06/17 18:34
5	11	(((707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search$3 with rules!)) and counts!) and (probabilit$3)	USPAT; US-PGPUB	2004/06/17 18:34
6	0	((((707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search$3 with rules!)) and counts!) and (probabilit$3)) and (percentage with firing)	USPAT; US-PGPUB	2004/06/17 18:35
7	4	((((707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search$3 with rules!)) and counts!) and (probabilit$3)) and (percentage$1)	USPAT; US-PGPUB	2004/06/17 18:35
8	0	(((((707/5.ccls. or 707/4.ccls. or 707/2.ccls. or 707/6.ccls.) and (search$3 with rules!)) and counts!) and (probabilit$3)) and (percentage$1)) and (percentage$1 with matches!)	USPAT; US-PGPUB	2004/06/17 18:36
–	66	"search rules"	USPAT; US-PGPUB	2004/06/17 18:30
–	34926	"search rules" rank$3	USPAT; US-PGPUB	2002/11/26 19:39
–	13	"search rules" and rank$3	USPAT; US-PGPUB	2003/02/04 19:39
–	4	("search rules" and rank$3) and (rule$1 with analyz$3)	USPAT; US-PGPUB	2002/11/26 19:40
–	51	"exact-match"	USPAT; US-PGPUB	2002/11/26 19:48
–	7	"exact-match" and "user input"	USPAT; US-PGPUB	2002/11/26 19:52
–	13757	search$3 near4 (database or "data base")	USPAT; US-PGPUB	2002/11/26 19:53
–	575	(search$3 near4 (database or "data base")) and (identify$3 near4 record)	USPAT; US-PGPUB	2002/11/26 19:54
–	215	((search$3 near4 (database or "data base")) and (identify$3 near4 record)) and rule$1	USPAT; US-PGPUB	2002/11/26 19:54
–	112	(((search$3 near4 (database or "data base")) and (identify$3 near4 record)) and rule$1) and (retriev$3 near4 record$1)	USPAT; US-PGPUB	2002/11/26 19:55
–	79	((((search$3 near4 (database or "data base")) and (identify$3 near4 record)) and rule$1) and (retriev$3 near4 record$1)) and user near4 (select$3 or feedback or input)	USPAT; US-PGPUB	2002/11/26 19:57
–	151	(((((search$3 near4 (database or "data base")) and (identify$3 near4 record)) and rule$1) and (retriev$3 near4 record$1)) and user near4 (select$3 or feedback or input)) (rule$1 with "descending order")	USPAT; US-PGPUB	2002/11/26 19:58
–	0	(((((search$3 near4 (database or "data base")) and (identify$3 near4 record)) and rule$1) and (retriev$3 near4 record$1)) and user near4 (select$3 or feedback or input)) and (rule$1 with "descending order")	USPAT; US-PGPUB	2002/11/26 19:58

–	8	(((((search$3 near4 (database or "data base")) and (identify$3 near4 record)) and rule$1) and (retriev$3 near4 record$1)) and user near4 (select$3 or feedback or input)) and (rule$1 with order)	USPAT; US-PGPUB	2002/11/26 19:58
–	1	5832477.pn.	USPAT; US-PGPUB	2003/02/04 19:36
–	1	5204939.pn.	USPAT; US-PGPUB	2003/02/05 19:10
–	2124	(search or retriev$3) with rules	USPAT; US-PGPUB	2003/02/04 19:40
–	2078	((search or retriev$3) with rules) and (index$3 or order$3 or sequence$1 or prioritiz$3 or priorit$3 or rank$3 or sequential$2 or sort$3)	USPAT; US-PGPUB	2003/02/04 19:42
–	608	(((search or retriev$3) with rules) and (index$3 or order$3 or sequence$1 or prioritiz$3 or priorit$3 or rank$3 or sequential$2 or sort$3)) and statistic$2	USPAT; US-PGPUB	2003/02/04 19:42
–	3	((((search or retriev$3) with rules) and (index$3 or order$3 or sequence$1 or prioritiz$3 or priorit$3 or rank$3 or sequential$2 or sort$3)) and statistic$2) and (((adjust or re adj1 arrang$3) with (order$3 or sequence$1 or priorit$3 or rank$3)) with (rule$1 or query or queries))	USPAT; US-PGPUB	2003/02/04 19:51
–	20	((((search or retriev$3) with rules) and (index$3 or order$3 or sequence$1 or prioritiz$3 or priorit$3 or rank$3 or sequential$2 or sort$3)) and statistic$2) and ((adjust or re adj1 arrang$3) with (order$3 or sequence$1 or priorit$3 or rank$3))	USPAT; US-PGPUB	2003/02/04 19:53
–	9	((((search or retriev$3) with rules) and (index$3 or order$3 or sequence$1 or prioritiz$3 or priorit$3 or rank$3 or sequential$2 or sort$3)) and statistic$2) and ((adjust or re adj1 arrang$3) with (sequence$1 or priorit$3 or rank$3))	USPAT; US-PGPUB	2003/02/04 19:53
–	4	sequential adj1 subset adj1 catalog	USPAT; US-PGPUB; EPO	2003/02/04 20:36
–	1	5204939.pn.	USPAT; US-PGPUB	2003/02/05 19:10
–	1	5204939.pn. and (execut$3 with (sequence or order))	USPAT; US-PGPUB	2003/02/05 19:16
–	1	5204939.pn. and (execut$3 with (chang$3 with sequence))	USPAT; US-PGPUB	2003/02/05 19:22
–	1580	rules with search$3	USPAT; US-PGPUB	2003/02/05 19:22
–	289	(rules with search$3) and ((retriev$3 or identif$4) with record$1)	USPAT; US-PGPUB	2003/02/05 19:24
–	206	rules! with ((retriev$3 or identif$4) with record$1)	USPAT; US-PGPUB	2003/02/05 19:24
–	46	(rules! with ((retriev$3 or identif$4) with record$1)) and (search$3 with rules!)	USPAT; US-PGPUB	2003/02/05 19:25
–	14	((rules! with ((retriev$3 or identif$4) with record$1)) and (search$3 with rules!)) and rank$3	USPAT; US-PGPUB	2003/02/05 19:26
–	0	((rules! with ((retriev$3 or identif$4) with record$1)) and (search$3 with rules!)) and (rank$3 with rules)	USPAT; US-PGPUB	2003/02/05 19:26
–	6	(rules! with ((retriev$3 or identif$4) with record$1)) and (rank$3 with rules)	USPAT; US-PGPUB	2003/02/05 19:51
–	1	5899991.pn.	USPAT; US-PGPUB	2003/02/05 19:51
–	0	5899991.pn. and (execut$3 with (rank$3 near2 order))	USPAT; US-PGPUB	2003/02/05 19:52
–	1	(rank$3 with rules!) with (based near3 statistic$2)	USPAT; US-PGPUB	2003/02/05 20:33

BEST AVAILABLE COPY

−	0	((rank$3 with rules!) with (based near3 statistic$2)) and ((alter$3 or chang$3 or edit$4 or maintain$3 or modif$6 or updat$3 or maintenance$1) with rank$3)	USPAT; US-PGPUB	2003/02/05 20:28
−	7	(collect or gather) with (statistic$2 with rule$1)	USPAT; US-PGPUB	2003/02/05 20:37
−	4	((collect or gather) with (statistic$2 with rule$1)) and search$3	USPAT; US-PGPUB	2003/02/05 20:36
−	4	(((collect or gather) with (statistic$2 with rule$1)) and search$3) and record$1	USPAT; US-PGPUB	2003/02/05 20:36
−	4	((collect or gather) with (statistic$2 with rule$1)) and (performance with rule$1)	USPAT; US-PGPUB	2003/02/06 21:25
−	0	((collect or gather) with (statistic$2 with rule$1)) and (performance with (search with rule$1))	USPAT; US-PGPUB	2003/02/05 20:49
−	0	sear adj1 rule$1	USPAT; US-PGPUB	2003/02/06 18:40
−	128	search adj1 rule$1	USPAT; US-PGPUB	2003/02/07 12:12
−	0	(search adj1 rule$1) and (target adj1 record$1)	USPAT; US-PGPUB	2003/02/06 18:42
−	29	(search adj1 rule$1) and ((retriev$3 or identif$4) with record$1)	USPAT; US-PGPUB	2003/02/06 19:10
−	0	(search adj1 rules) with (match$3 with records!)	USPAT; US-PGPUB	2003/02/06 19:11
−	37	(rules) with (match$3 with records!)	USPAT; US-PGPUB	2003/02/06 19:11
−	1	5204939.pn.	USPAT; US-PGPUB	2003/02/06 20:57
−	1	5204939.pn. and (change$3 with sequence)	USPAT; US-PGPUB	2003/02/06 21:00
−	1	5204939.pn. and (evaluat$3)	USPAT; US-PGPUB	2003/02/06 21:01
−	128	search adj1 rule$1	USPAT; US-PGPUB	2003/02/07 12:13
−	37	(search adj1 rule$1) and statistic$2	USPAT; US-PGPUB	2003/02/07 12:14
−	9	((search adj1 rule$1) and statistic$2) and (number with execut$3)	USPAT; US-PGPUB	2003/02/07 12:21
−	1	5204939.pn.	USPAT; US-PGPUB	2003/02/07 12:21
−	1	6182070.pn.	USPAT; US-PGPUB	2003/02/07 12:22
−	3	6324534.pn. or 5204939.pn. or 6182070.pn.	USPAT; US-PGPUB	2003/02/07 12:22
−	2	(6324534.pn. or 5204939.pn. or 6182070.pn.) and (((number or times!) with rule$1) with (execut$3 or fir$3 or run$1 or running))	USPAT; US-PGPUB	2003/02/07 12:24
−	1	6324534.pn.	USPAT; US-PGPUB	2003/02/07 13:34
−	1	20020087518.PN.	USPAT; US-PGPUB	2003/06/12 11:19
−	0	98213087.ap.	USPAT; US-PGPUB	2003/06/10 16:29
−	0	98213087.apn.	USPAT; US-PGPUB	2003/06/10 16:30
−	0	selects adj executable adj procedures	USPAT; US-PGPUB	2003/06/10 16:30
−	38	selects adj executable	USPAT; US-PGPUB	2003/06/10 16:30
−	0	(selects adj executable) and (generated adj statistical)	USPAT; US-PGPUB	2003/06/10 16:33
−	1	802489.pn.	USPAT; US-PGPUB; EPO	2003/06/10 16:35
−	2	200142880.pn.	USPAT; US-PGPUB; EPO; DERWENT	2003/06/10 16:37

–	3	9739412.pn.	USPAT; US-PGPUB; EPO; DERWENT	2003/06/10 16:37
–	1	20020087518.PN.	USPAT; US-PGPUB	2003/06/12 11:19
–	2	20020087518.PN.	USPAT; US-PGPUB; DERWENT	2003/06/12 11:28
–	2	6360214.PN.	USPAT; US-PGPUB; DERWENT	2003/06/12 11:28
–	1	6366901.pn.	USPAT; US-PGPUB	2003/06/16 19:36
–	1	6366901.pn.	USPAT; US-PGPUB	2003/06/16 19:36
–	1	6366901.pn. and (importan$2 or probabilit$3 or rank$4 or rate$1 or rating$1 or value$1 or weigh$3)	USPAT; US-PGPUB	2003/06/16 19:40
–	5191	707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.	USPAT; US-PGPUB	2003/06/16 19:41
	0	(707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.) and statististic$2	USPAT; US-PGPUB	2003/06/16 19:42
–	1369	(707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.) and statistic$2	USPAT; US-PGPUB	2003/06/16 19:42
–	57	(707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.) and (statistic$2 with rule$1)	USPAT; US-PGPUB	2003/06/16 19:42
–	5	(707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.) and ((statistic$2 with rule$1) with search$3)	USPAT; US-PGPUB	2003/06/16 19:43
–	0	((707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.) and ((statistic$2 with rule$1) with search$3)) and (performance with statistic$2)	USPAT; US-PGPUB	2003/06/16 19:43
–	4	((707/5.ccls. or 707/2.ccls. or 707/4.ccls. or 707/6.ccls. or 707/3.ccls.) and ((statistic$2 with rule$1) with search$3)) and performance	USPAT; US-PGPUB	2003/06/16 19:53
–	0	statistic$2 with (search adj rule$1)	USPAT; US-PGPUB	2003/06/16 19:53
–	3	performance with (search adj rule$1)	USPAT; US-PGPUB	2003/06/16 19:54
–	29	performance with (execution adj plan$1)	USPAT; US-PGPUB	2003/06/16 19:55
–	1	((performance with (execution adj plan$1)) and statistic$2) and rank$3	USPAT; US-PGPUB	2003/06/16 19:55
–	17	(performance with (execution adj plan$1)) and statistic$2	USPAT; US-PGPUB	2003/06/16 20:21
–	1	rank$3 with (search adj rule$1)	USPAT; US-PGPUB	2003/06/16 20:21
–	0	statistic$2 with (previous$2 adj2 retrieved)	USPAT; US-PGPUB	2003/06/23 15:42
–	1982	genetic adj (algorithm$1 or program$4)	USPAT; US-PGPUB	2003/06/23 15:43
–	1340	(genetic adj (algorithm$1 or program$4)) and search$3	USPAT; US-PGPUB	2003/06/23 15:44
–	777	((genetic adj (algorithm$1 or program$4)) and search$3) and rule$1	USPAT; US-PGPUB	2003/06/23 15:44
–	5	(((genetic adj (algorithm$1 or program$4)) and search$3) and rule$1) and ((adjust$3 or updat$3) near4 rank$3)	USPAT; US-PGPUB	2003/06/23 15:45
–	10027	test with effectiveness	USPAT; US-PGPUB; EPO	2003/10/21 00:59
–	4	(test with effectiveness) and retrieval adj method	USPAT; US-PGPUB; EPO	2003/10/21 01:00

–	4	(test with effectiveness) and (retrieval adj method)	USPAT; US-PGPUB; EPO	2003/10/21 01:05
–	0	evaluating adj information adj retrieving	USPAT; US-PGPUB	2003/10/21 01:08
–	1	evaluating adj information adj retrieving	USPAT; US-PGPUB; EPO; JPO	2003/10/21 01:08
–	183	search adj rule$1	USPAT; US-PGPUB	2003/11/17 22:57
–	99391	(search adj rule$1) statistic$2	USPAT; US-PGPUB	2003/11/17 22:54
–	60	(search adj rule$1) and statistic$2	USPAT; US-PGPUB	2003/11/17 22:55
–	2	((search adj rule$1) and statistic$2) and (rule with number with executed)	USPAT; US-PGPUB	2003/11/17 22:55
–	114	"search rules"	USPAT; US-PGPUB	2003/11/17 22:58
–	69	"search rules" and (times)	USPAT; US-PGPUB	2003/11/17 22:59
–	3	("search rules" and (efficiency with search$3)) and (times)	USPAT; US-PGPUB	2003/11/17 23:03
–	1	4752890.pn.	USPAT; US-PGPUB	2003/11/17 23:03
–	1	4752890.pn. and instance$1	USPAT; US-PGPUB	2003/11/17 23:04
–	4	"search rules" and (efficiency with search$3)	USPAT; US-PGPUB	2003/11/17 23:06
–	2468	efficiency with search$3	USPAT; US-PGPUB	2003/11/17 23:07
–	396	(efficiency with search$3) and (search adj (rule$1 or technique$1 or strateg$3 or quer$3))	USPAT; US-PGPUB	2003/11/17 23:08
–	3	((efficiency with search$3) and (search adj (rule$1 or technique$1 or strateg$3 or quer$3))) and (((time$1 or instance$1) adj (rule$1 or quer$1)) with (execut$3 or fired or firing or fire))	USPAT; US-PGPUB	2003/11/17 23:16
–	222	(((time$1 or instance$1) adj (rule$1 or quer$1)) with (execut$3 or fired or firing or fire))	USPAT; US-PGPUB	2003/11/17 23:16
–	79	((((time$1 or instance$1) adj (rule$1 or quer$1)) with (execut$3 or fired or firing or fire))) and statistic$2	USPAT; US-PGPUB	2003/11/17 23:17
–	3	((((time$1 or instance$1) adj (rule$1 or quer$1)) with (execut$3 or fired or firing or fire))) and ((efficiency with search$3) and (search adj (rule$1 or technique$1 or strateg$3 or quer$3)))	USPAT; US-PGPUB	2003/11/17 23:17
–	1	(((((time$1 or instance$1) adj (rule$1 or quer$1)) with (execut$3 or fired or firing or fire))) and statistic$2) and (statistic$2 with "search rules")	USPAT; US-PGPUB	2003/11/17 23:18
–	1	4752890.pn. and (search$3 and time)	USPAT; US-PGPUB	2003/11/18 01:39
–	1	4752890.pn.	USPAT; US-PGPUB	2003/11/18 01:39
–	0	4752890.pn. and percent	USPAT; US-PGPUB	2003/11/18 01:51
–	5	percent$3 with (actual adj2 match$3)	USPAT; US-PGPUB	2003/11/18 01:54
–	5	percent$3 with (actual adj2 match$3)	USPAT; US-PGPUB	2003/11/18 02:00
–	5	percent$3 with (actual adj2 match$3)	USPAT; US-PGPUB	2003/11/18 02:00
–	203	search adj rule$1	USPAT; US-PGPUB	2004/03/15 22:57
–	117	(search adj rule$1) and retriev$3	USPAT; US-PGPUB	2004/03/15 22:58
–	88	((search adj rule$1) and retriev$3) and match$2	USPAT; US-PGPUB	2004/03/15 22:58

-		30	(((search adj rule$1) and retriev$3) and match$2) and count$1	USPAT; US-PGPUB	2004/03/15 22:59